

Bladder Pressure Studies (Urodynamics)

Gynaecology

The prevention of infection is a major priority in all healthcare and everyone has a part to play.

- Please decontaminate your hands frequently for 20 seconds using soap and water or alcohol gel if available
- If you have symptoms of diarrhoea and/or vomiting, cough or other respiratory symptoms, a temperature or any loss of taste or smell please do not visit the hospital or any other care facility and seek advice from 111
- Keep the environment clean and tidy
- Let's work together to keep infections out of our hospitals and care homes.

Introduction

What is this leaflet for?

To help you to understand the investigation that has been arranged for you to help assess your bladder problem.

Please complete the bladder chart in the centre pages and bring to your appointment.

Please get a urine sample checked by your GP the week before your appointment as we can not do your test if you have a urine infection. Please change your appointment if you have an infection.

What is Urodynamics?

Urodynamics means the study of the pressure and flow in the bladder and tube through which you pass water (urethra). The test shows what is happening when the bladder is filling and emptying. This can be very helpful in assessing bladder problems or planning any necessary treatment.

Are all urodynamic investigations the same?

No, some urodynamic investigations use X-ray to take pictures of the bladder function (known as video urodynamics), others measure pressure only. Your consultant will have decided which test is appropriate for you.

Consent

We must seek your consent for any procedure or treatment beforehand. Your doctor will explain the risks, benefits and alternatives where relevant before they ask for your consent. If you are unsure about any aspect of the procedure or treatment proposed, please do not hesitate to ask for more information.

What are the benefits?

The procedure will help to assess the bladder problems that you are experiencing.

Are there any risks involved in having the treatment?

There are nearly always risks to any treatment. The main adverse effect of urodynamics is urinary infection which occurs in about 5% of patients (the risk is slightly higher in patients who have suffered infections in the past). This can be reduced significantly by drinking plenty of fluids for 48 hours following the procedure.

What happens before the Bladder Pressure Test?

Please eat and drink as normal, and please attend with a full bladder. If you are taking any medication for an over active bladder, please stop one week before your appointment. You may continue to take any other medication as you usually would.

Please notify us if you may be pregnant, as you will not be able to undergo any X-ray bladder pressure studies.

We will still be able to complete these investigations if you are menstruating (on a period).

One week before, you are required to complete the Bladder Chart which has been included as the end of the leaflet.

What happens on the day of the Bladder Pressure Test?

- You will be greeted by a member of staff and asked to pass urine. You will be asked to change into a gown and the details of the test will be explained to you. Your urine sample will be tested at this point
- The Consultant Urogynaecologist or nurse specialist will ask you about your bladder problem and symptoms

What will happen during the Bladder Pressure Test?

You will be asked to lie on a couch or special X-ray table. Two
very fine tubes are passed into the bladder. One tube measures
bladder pressure and the other fills your bladder with sterile
fluid

- A very fine tube will also be passed just inside your rectum (back passage) so that the pressure in the abdomen can be measured as the bladder fills and empties
- Once the tubes have been inserted, they will be attached to a special computer that will measure bladder activity
- The bladder is then gradually filled with fluid and you will be asked to indicate when you first want to pass urine and once again when you are full
- Once your bladder is full, you will again be asked to pass urine into the special toilet
- Once your bladder is empty, all the tubes will be removed and the computer will print out the results of your urodynamics investigation. The test is now finished
- The whole test usually takes up to 45 minutes

What happens after the Bladder Pressure Test?

 The results of your investigation and treatment plan will be fully discussed with you. Please feel free to ask the consultant or specialist nurse any questions you have about the test or possible treatments

Is there any advice following the bladder pressure test?

You may feel a little discomfort when you pass urine or pass a small amount of blood. It is, therefore, important to drink plenty of water, (about two litres) over the next 24-48 hours to help these symptoms. If symptoms persist contact your GP, as you may have a urine infection.

Please do not worry about the urodynamics investigation, everything will be explained both before and during the procedure and we do appreciate that you may be a little anxious.

Further Information

If you have any further questions or queries, do not hesitate to contact the urogynae specialist nurses on 01902 307999 ext 85186 or 88365 Monday to Friday, 9.00am – 5.00pm.

Bladder Chart

Please complete for the week befo	re your bladder test
appointment	
Week commencing:	Name:

Please write in column one the amount you drink, for example, a cup of tea is about 150 mls

Please write in column two the amount of urine you pass, please measure, you could perhaps use a jug

Please write in column three when you are wet, for example, damp, slightly wet, saturated

Midnight	11pm	10pm	9pm	8pm	7pm	6pm	5pm	4pm	3pm	2pm	1pm	Noon	11am	10am	9am	8am	7am	6am	5am	4am	3am	2am	1am	Column	
																								_	
																								2	Monday
																								ω	
																								_	
																								2	Tuesday
																								ω	
																								_	<
																								2	Wednesday
																								ω	зу
																								_	
																								2	Thursday
																								ω	

Midnight	11pm	10pm	9pm	8pm	7pm	6pm	5pm	4pm	3pm	2pm	1pm	Noon	11am	10am	9am	8am	7am	6am	5am	4am	3am	2am	1am	Column	
																								_	
																								2	Friday
																								ω	
																								_	
																								2	Saturday
																								ω	
																								_	
																								2	Sunday
																								ω	

English

If you need information in another way like easy read or a different language please let us know.

If you need an interpreter or assistance please let us know.

Lithuanian

Jeigu norėtumėte, kad informacija jums būtų pateikta kitu būdu, pavyzdžiui, supaprastinta forma ar kita kalba, prašome mums apie tai pranešti.

Jeigu jums reikia vertėjo ar kitos pagalbos, prašome mums apie tai pranešti.

Polish

Jeżeli chcieliby Państwo otrzymać te informacje w innej postaci, na przykład w wersji łatwej do czytania lub w innym języku, prosimy powiedzieć nam o tym.

Prosimy poinformować nas również, jeżeli potrzebowaliby Państwo usługi tłumaczenia ustnego lub innej pomocy.

Punjabi

ਜੇ ਤੁਹਾਨੂੰ ਇਹ ਜਾਣਕਾਰੀ ਕਿਸੇ ਹੋਰ ਰੂਪ ਵਿਚ, ਜਿਵੇਂ ਪੜ੍ਹਨ ਵਿਚ ਆਸਾਨ ਰੂਪ ਜਾਂ ਕਿਸੇ ਦੂਜੀ ਭਾਸ਼ਾ ਵਿਚ, ਚਾਹੀਦੀ ਹੈ ਤਾਂ ਕਿਰਪਾ ਕਰਕੇ ਸਾਨੰ ਦੱਸੋ।

ਜੇ ਤੁਹਾਨੂੰ ਦੁਭਾਸ਼ੀਏ ਦੀ ਜਾਂ ਸਹਾਇਤਾ ਦੀ ਲੋੜ ਹੈ ਤਾਂ ਕਿਰਪਾ ਕਰਕੇ ਸਾਨੂੰ ਦੱਸੋ।

Romanian

Dacă aveți nevoie de informații în alt format, ca de exemplu caractere ușor de citit sau altă limbă, vă rugăm să ne informați.

Dacă aveți nevoie de un interpret sau de asistență, vă rugăm să ne informați.

Traditional Chinese

如果您需要以其他方式了解信息,如易读或其他语种,请告诉我们。 如果您需要口译人员或帮助,请告诉我们。

> Designed & Produced by the Department of Clinical Illustration, New Cross Hospital, Wolverhampton, WV10 0QP Tel: 01902 695377.