



Cochlear Implant Assessment

Information sheet for adults and their families



Image description: Photo of a young woman sat outside looking at her mobile phone smiling. She has a blue Cochlear Implant on her right ear. She has long brown hair.

About this factsheet

This factsheet is written for adults with a severe to profound hearing loss who are thinking of having a cochlear implant assessment. This factsheet only provides basic information about cochlear implants. Your local Cochlear Implant team will be able to give you more information and discuss any other questions you have at your first assessment appointment.

Being referred for a cochlear implant assessment **does not** mean that you will definitely be offered a cochlear implant. You will have to meet the national eligibility criteria and complete the rest of the assessment process prior to being offered a cochlear implant. You may also choose to withdraw from the assessment at any time if you feel having a cochlear implant is not the right choice for you for any reason. Your local Cochlear Implant team will support you to make the best choice for you, at the right time for you.



What is severe to profound deafness?

Most severe to profound deafness is due to damage to the tiny 'hair cells' in the cochlea that respond to sounds and send information about them along a hearing nerve to your brain. Hearing aids make sounds louder but that does not always mean that the damaged hair cells can pick up the sound.




Image description: a chart showing the pitch (frequency) and loudness of sounds (level) and how they relate to different levels of hearing loss. This chart is called an Audiogram.

What is a cochlear implant?

Cochlear implants give a sensation of hearing and may provide better hearing than hearing aids if you are severe to or profoundly deaf and meet the national candidacy criteria. A cochlear implant is an electronic device that has two parts: the internal 'implant' and the external 'speech processor'. The system works in a completely different way to a hearing aid. It does not make sounds louder but converts sound to electricity that travels along your hearing nerve and is recognized in your brain as sound.



Image description: a drawing showing each part of the ear; outer, middle and inner. A Cochlear Implant is shown with the electrode inserted into the inner ear and the speech processor sitting on the outer ear.



The speech processor:



The external part looks a little like a hearing aid. It has microphones to pick up sounds around you. It passes these sounds to a tiny computer processor that converts them to electronic signals. The signals are then sent to the transmitter coil (circular part) that is placed flat against the skin slightly behind and above your ear. The coil transmits the signal to the internal implant using a radio signal. The device is powered by batteries which you need to change twice a week or recharged daily.

Image description: a photo of a speech processor showing it has 2 parts: a device that looks like a hearing aid sits behind the ear and a round smooth transmitter is placed behind and above the ear.

The implant:



Image description: A photo of the internal implant shows a tiny thin electrode that is placed inside the inner ear and a small magnet that sits under the skin.

The implant part must be surgically implanted during an operation. It includes a receiver with a magnet in the middle that sits just under the skin behind and above your ear, and a string of tiny electrodes which are placed very gently inside the cochlea (inner ear). The magnet holds the external coil securely in place directly over the implanted receiver. The receiver picks up the signal from the transmitter coil on the

outside of the skin and sends it to the electrodes inside the cochlea. The electrodes take over the job of the damaged hair cells in the cochlea and send electrical signals along the nerve of hearing to your brain. Your brain learns to recognise these signals as sounds and speech with time and regular practice.




Image description: A diagram showing each part of a Cochlear Implant. The external device that sits on the ear has a microphone and speech processor, the round magnetic coil that attaches to the head, the internal magnet that is attached to the electrodes sitting in the inner ear.

You can easily take the external part of the Cochlear Implant off when you sleep or shower or just want a break, just as you would do with a hearing aid. A gentle pull will remove the coil from the magnet so the whole speech processor comes off and can be stored in a case so that it's safe (the external devices are very expensive). Many adults using implants have long hair and it does not get in the way of using their implant.

Are cochlear implants suitable for all adults with deafness?



Image description: a young boy sat on the floor with two adults. They are reading and talking.

No. A cochlear implant may be suitable if you have a **severe to profound** sensorineural deafness in both ears, and you find that hearing aids do not help you very much. As a rough guide, if you cannot follow telephone conversations fluently using your

hearing aid, then a cochlear implant assessment might be a good idea. For an implant to work, **your hearing nerve must still function** even though your cochlea is damaged. For some rare kinds of nerve deafness a cochlear implant may not be



suitable. Ears with lots of infections or mastoid cavities may need a two-stage operation.

Will a cochlear implant be right for me?



Image description: a young woman smiling. She has a dark brown Cochlear implant that matches her hair.

If you became deaf after you developed spoken language skills, then a cochlear implant might be suitable. The Cochlear Implant team will be able to advise you further based on your history. The better and the more recently you have had good hearing, the better the outcome with a cochlear implant will be.

If you are an adult who has been profoundly deaf since a young age, a cochlear implant may not be the right option for you. This is because you need to have had some memory of sound in order to make sense of the signals provided by the implant. However, some adults who were born deaf or who became deaf at a young age

can gain considerable benefit from a cochlear implant, provided they have had some benefit from hearing aids in the recent past and communicate using speech and listening.

If you can hear quite well wearing modern high-powered hearing aids, with well-fitting earmoulds, then you may not get much extra benefit from a cochlear implant. The Cochlear Implant team will test how well you can hear speech without lip-reading to see if you get enough benefit from your hearing aids.

You may get more benefit from your implant if you receive a cochlear implant less than 10 years after becoming profoundly deaf. However, your age is not important when deciding whether an implant will be suitable for you. It is important that you are in good



enough health to undergo an operation under general anaesthetic (although in some cases surgery under local anaesthetic is possible).

If you have an implant you will need plenty of motivation and support from your family, friends, and hearing professionals, especially in the first few months as you learn to use it. You will need to be willing and able to attend the implant centre around 9 times in 12 months as a minimum during the assessment and rehabilitation process.

Please note that as an adult, you will only receive **one** cochlear implant funded by the NHS unless you are deaf-blind, in which case you be may able to have one in each ear. Children are allowed two implants under the NHS due to the importance of developing their speech and communication

What will a cochlear implant give me?



Image description: a man is at a train station asking for information. He had a black Cochlear Implant that matches his hair. He is using a Telecoil loop system to talk to the person sitting behind a glass screen.

This is quite a difficult question to answer as no two people with a cochlear implant gain the same benefit. Benefit from a cochlear implant depends on many factors including duration of your deafness, cause of deafness, and use of hearing aids, but it is still not possible to predict your benefit from these factors. The main reported benefits are:

- Relying less on lip-reading



- Gaining access to hear high-pitch sounds around you such as birds and alarms
- Ability to communicate more easily one to one

People that get the most benefit from a cochlear implant are able to follow a conversation on the phone or in background noise, and some can enjoy music, but this is not true for everyone with a cochlear implant. Most adults using a cochlear implant still have difficulties following a conversation in a noisy room but this can improve with practise. Your local Cochlear Implant team will discuss your personal goals and likely benefit with you during your assessment.

How reliable are cochlear implants?



Image description: adults working in a laboratory testing Cochlear Implant components. They are wearing gloves, a hair net and a uniform. They have microscopes and lots of other medical testing equipment around them.

Cochlear implants are very reliable devices. The chance of the surgically implanted part of the implant failing is very low (much less than 1%) and many implant users today have been using their implants for over 30 years without any problems. If it did fail at any time in the future the implant can be replaced through another operation and the outcome tends to be similar to the first operation. The external speech



processor that sits behind your ear can be replaced easily if any faults develop, but with some basic maintenance, they are also very reliable

Will having a cochlear implant stop me doing anything?



Image description: A girl with wet hair is sat in a swimming pool while wearing her Cochlear Implant.

Having a cochlear implant should not restrict daily activities at all for most people. Taking part in most sports is fine, but you may be advised to avoid certain high-risk contact sports where impact to the implant is possible (e.g. boxing) and participation in extreme sports such as skydiving should be avoided due to risk of damaging the implant. You can swim as normal and SCUBA diving is allowed down to 25 metres. Traveling in an aeroplane is also fine. You will need to inform your doctor if you need to have an MRI scan as the implant is metal and correct precautions need to be taken. Most implants nowadays are MR compatible and thus you can undergo this investigation with an implant. If you have specific concerns you can discuss these with the Cochlear Implant team during your assessment.

What can I expect from the assessment?



If you decide to have a cochlear implant assessment, your audiologist will refer you to your local Cochlear Implant team for an assessment and you will receive an appointment to attend for an initial cochlear implant assessment. Please feel free to bring a relative or friend along if you wish, unless specific restrictions are in place e.g. during COVID-19.

Assessment for a cochlear implant consists of a few different stages (described below). The process from first assessment to implantation cannot be predicted, it depends on individual and local factors and could range from 4-18 months. During your assessment you will be given information about what to expect from a cochlear implant. You will receive a lot of information to help you make an informed decision about whether you feel a cochlear implant is right for you.



Image description: three people are sat around a table talking in an Audiology office. A man with short grey hair is wearing a silver Cochlear Implant, he is holding a hearing aid. There is a computer screen showing different types and colours of Cochlear Implant.

Initial assessment appointment



At the initial appointment you will see an audiologist who will ask you questions regarding your deafness, medical history, hearing aids, lifestyle, motivation and listening goals. They will then perform some tests including a hearing test and speech tests to establish if you may be entitled to an NHS-funded cochlear implant. At the end of the appointment they will let you know whether you meet the cochlear implant criteria or if you require further investigations. If you meet the criteria, they will discuss the next steps with you if you wish to proceed with the rest of the assessment process. If you don't meet the criteria, they will discuss the reasons for it and will provide advice on future management (review at a later date, consider different hearing aids, etc.)

The next steps of the assessment include:

Rehabilitation assessment

During this appointment you will see an implant audiologist who will discuss the process of learning to hear with a cochlear implant (this is called hearing rehabilitation). This can be quite hard work at the beginning, so we need to make sure that you and your family are prepared for this. You may be given some questionnaires about your deafness and what you can expect from a cochlear implant to ensure that your expectations are realistic, and your personal goals and reasons for having a cochlear implant will be discussed. If you have any worries or concerns you are welcome to share them at this or any other appointment.

Meeting someone with a Cochlear Implant

If you are considering a cochlear implant, we feel it is important for you to meet someone who has had a cochlear implant. They can tell you about their experiences from a different perspective to hearing professionals. Bear in mind that every cochlear implant recipient's history is unique and their experiences may differ to yours. You may want to attend a local User Group, where you can meet a range of different people with implants, or if you prefer the Cochlear Implant team can put you in one-to-one contact with another person who has a similar history of deafness.



Head scans

A CT scan and (usually) an MRI scan are done to show the surgeon a full view of your inner ear bones and fluids. This helps them to plan your surgery and may help to decide which ear would be better to implant.

Risks counselling

A cochlear implant audiologist will go through the surgical process and risks in more detail. Cochlear implant surgery is an established operation which is generally very safe. The majority of people will experience no major problems following this operation but as with every surgical procedure there are some risks, and these will be outlined to you at this appointment.

Medical assessment

Cochlear implant surgery usually requires a general anaesthetic, so you will have an assessment of your medical suitability for surgery. This will be done by a specialist 'pre-op' nurse. They will also decide if you are suitable for 'day-case' surgery or if you will need to stay overnight after your operation. It is recommended that you ask a family member or friend to spend the first night at home with you.

Cochlear Implant Clinic and Consent

During this appointment you will meet one of our cochlear implant surgeons. Usually this takes place at the end of your assessments once you are ready to consent for a cochlear implant. If you have more complex ear problems, like ear infections, you may be seen on clinic earlier. The surgeon will check your ears and medical history with you. You may sign a surgical consent form and be added to the surgery waiting list. If you have never had a 'pneumococcal' vaccination then you will be offered this to reduce the risk of infection after the operation.



Your decision

Deciding to attend a cochlear implant assessment may not be an easy decision, and you may need to find out a lot more about it before feeling confident about what you want to do. A referral does not mean you have committed to having a cochlear implant. If you are offered an implant the final decision is yours, and you can change your mind at any time.



Image description: A man is holding a brown Cochlear Implant in his hand. He is talking to a lady and looking at the Implant.

You may also decide to wait a little longer before making your decision. The Cochlear Implant team aim to provide you with all the information you need to make the right decision for you, at the right time for you. **Please note in order to be eligible for an NHS-funded cochlear implant you have to meet certain eligibility criteria as set by The National Institute for Health and Care Excellence (NICE), last reviewed in 2019 (<https://www.nice.org.uk/guidance/TA566>)**

Common myths about Cochlear Implants:

“It’s brain surgery”

Cochlear implant is ear surgery not brain surgery - an internal implant is placed under the skin behind the ear and an electrode is placed into the inner ear (cochlear). No part of the brain is touched.

“If you go through the assessment period you have to get it”

The assessment process is an opportunity to decide if an implant is right for you. You can change your mind at any time.

“Normal hearing is immediate”

When waking up from surgery, you will not be able to hear from the implanted ear as the ear needs time to heal. The Cochlear Implant will be activated between 2-4 weeks after surgery, depending on your healing process.

“Restores your hearing back to normal”

A Cochlear Implant is not a natural device that replaces your ear. It’s a medical device that serves to help and assist you to hear. It is surgically implanted to bypass the outer and middle ears to stimulate the hearing nerve and communicates with your brain

“Cochlear Implants are only for children or babies”



A cochlear implant is suitable for all ages, adults in their 90s can benefit from this technology too.

“You cannot have MRI scans”

Advances in technology have made it possible for MRI's to be completed on Cochlear Implant recipients. Each manufacturer has different levels of MRI tolerance and some implants have the option to remove or replace the magnet.

“Everyone with hearing loss should get one”

Not all deaf people will want or need a Cochlear Implant. It's important you consider your own personal goals and find out if a Cochlear Implant could help you access sounds you are struggling to hear.



Image description: An older lady is talking to a young child who is sat on another lady's knee. The lady has a pale-yellow Cochlear Implant that matches her blonde hair. They are smiling and laughing.

Sources of further information

There is a lot of excellent information online for potential cochlear implant recipients. We suggest the following trusted websites should you require further information:

- British Cochlear Implant Group (BCIG): <https://www.bcig.org.uk/>



- Hear Together <https://www.heartogether.org.uk/hearing-technology/cochlear-implants>
- National Cochlear Implant Users Association: <https://www.nciua.org.uk/>
- Cochlear Implant Manufacturers:
 - Advanced bionics: <https://advancedbionics.com/uk/en/home.html>
 - Cochlear: <https://www.cochlear.com/uk/en/home>
 - MED-EL: <https://www.medel.com/en-gb>
 - Oticon Medical: <https://www.oticonmedical.com/uk/cochlear-implants>